

**Technical data sheet 14M6**

Specification Swivel chair, mesh backrest, Synchronous mechanism

|                  |              |      |         |
|------------------|--------------|------|---------|
| Dimensions in mm | Backrest:    | H:   | 565     |
|                  | Seat:        | H:   | 410-515 |
|                  |              | W:   | 495     |
|                  |              | D:   | 500     |
| Total:           | H:           | 1090 |         |
|                  | W (no ArmR): | 560  |         |
|                  | W (ArmR):    | 635  |         |
|                  | D:           | 740  |         |
| Packaging data   | Weight:      | kg   | 15,7    |
|                  | Volume:      | m³   | 0,6     |



**Basic equipment**

**Benefit**

|                        |   |   |
|------------------------|---|---|
| Plastic parts          | Seat and back, colour maintained throughout plastic parts, black.   | Thus "colourfast" with deep scratches and abrasions.  |
| Backrest               | Meshback, black.  |   |
| Upholstery             | Seat upholstery: 55 mm foam, Upholstery is unglued, ensuring optimal air movement, breathable.  | Good seating comfort.   |
| Mechanism              | Synchronous mechanism. Large opening angle between seat and back until max 117°.  | Synchronous mechanism of Interstuhl are designed in a way that they help to support optimally the body in every seating position and also relieve the change between the different seating positions. |
| Seat height adjustment | Seat height adjustment infinitely variable from 410 - 515 mm. Self-supporting safety gas spring.  | Even those outside the DIN range (i.e. taller than 192 cm and smaller than 151 cm) are offered the correct ergonomic posture.   |
| Weight adjustment      | From 45 - 120 kg, adjustable within 7 steps.  | Individual adjustment of the backrest and back pressure to the size and weight of the user.   |
| Castors Ø 65 mm        | Hard double castors, black, load dependent braked, for soft floors. (Acc. to DIN EN 12529).   | The chair does not roll away in an off-loaded position, minimum risk of accident.   |
| Base                   | Colour maintained throughout polyamide base, as colour finish (plastic parts).  | Thus "colourfast" with deep scratches and abrasions.  |
| Materials              | All materials are segregated and recyclable.  | Environmentally friendly.   |
| Standards              | EN 1335 for office swivel chairs and office swivel armchairs. GS-Symbol for tested safety, tested for contaminants, Ergonomics approved, Bifma tested.  | High quality product and comfort.   |
| Certification          | Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability. Quality Office, Blue Angel, Bifma e3 level Platin. | High quality product.   |
| Warranty and return    | 10 years warranty. Complete return and recycling guarantee.   | Exchange of parts, free of charge, within the guaranteed period.  |

**Technical data sheet 14M6**

Specification Swivel chair, mesh backrest, Synchronous mechanism

|                  |           |              |         |
|------------------|-----------|--------------|---------|
| Dimensions in mm | Backrest: | H:           | 565     |
|                  |           | Seat:        | 410-515 |
|                  |           | W:           | 495     |
|                  |           | D:           | 500     |
|                  | Total:    | H:           | 1090    |
|                  |           | W (no ArmR): | 560     |
|                  |           | W (ArmR):    | 635     |
|                  |           | D:           | 740     |
| Packaging data   | Weight:   | kg           | 15,7    |
|                  | Volume:   | m³           | 0,6     |



**Technical data sheet 14M6**

Specification Swivel chair, mesh backrest, Synchronous mechanism

|                  |              |      |         |
|------------------|--------------|------|---------|
| Dimensions in mm | Backrest:    | H:   | 565     |
|                  | Seat:        | H:   | 410-515 |
|                  |              | W:   | 495     |
|                  |              | D:   | 500     |
| Total:           | H:           | 1090 |         |
|                  | W (no ArmR): | 560  |         |
|                  | W (ArmR):    | 635  |         |
|                  | D:           | 740  |         |
| Packaging data   | Weight:      | kg   | 15,7    |
|                  | Volume:      | m³   | 0,6     |



| <b>Options</b>        | <b>Benefit</b>   |
|-----------------------|--|
| Backrest              | Meshback, white, flame red, traffic orange, may green, beige grey, iron grey, cobalt blue, pastel blue.  |
| Colour finish         | Seat and back incl. base, colour maintained throughout plastic parts, white. Thus "colourfast" with deep scratches and abrasions. Visual appeal.   |
| Castors/Glides        | Soft double castors, black, load dependent braked, for hard floors or glides. (Acc. to DIN EN 12529). The chair does not roll away in an off-loaded position, minimum risk of accident.  |
| Base                  | Aluminium brilliant silver powder coated or polished. Very high stability, long service life. High quality look.   |
| Seat depth adjustment | Sliding seat for individual adjustment of the seat depth, adjustment 115 mm.   |
| Seat inclination      | Adjustable, -3,3° till + 1,5°. The inclination prevents the pelvis from tilting to the rear, ensures the right position of the spinal column.  |
| Lumbar support        | Depth- and height adjustable (60 mm). The lumbar support is depth adjustable and can be adapted to the corporal conditions of the user. In that way an individual support in the lumbar area is possible.  |
| Armrests              | T-armrest, height adjustable (100 mm), soft surface (as colour finish). 3D T-armrests, height (100 mm) and width (2 x 25 mm) adjustable, rotatable (2 x 15°), soft surface (as colour finish). 3D T-armrest, height (100 mm), width (2 x 25 mm) and depth (50 mm) adjustable, soft surface (as colour finish). The armrests relieve the neck and shoulder muscles. |
| Material (fabric)     | Several fabric collections and leather in various colours. During the design of the chair several colours and upholstery materials are available.  |